

12.8V 100Ah - Crank Series



Solid Grade A+ 26650 Cylindrical Cell Construction - Sealed IP 65 Grp 31 Size Case - Nickel Plated Brass Double Connection Terminal - 1200A CCA Cranking Equivalent - Direct Alternator Charging

Electrical Properties

12.8V 100Ah 1280Wh

Cycle Life

6000 Cycles at 0.2C to 80% DoD

Dimensions

BCI Group Fit 31
12.99" x 6.77" x 8.46"
(330 x 172 x 215mm)
27.6lbs (12.3kg)
IP 65

Discharge


Optimal Current 20A (0.2C)
Max Cont. Current 100A (1C)
Max Inst. Current 1200A (12C) $\leq 12s$

Charge

Optimal Current 20A (0.2C)
Max Cont. Current 100A (1C)

Certifications

UN 38.3, IEC626619-3600



BMS Properties

Charge Balancing, Current, Voltage, Short Circuit
Direct Alternator Charging, High Output

Terminal Connections

Double, SAE Pole + M8 (5/16) Terminal Stud,
Torque = 28N.m = 21ft.lb

Warranty

3 Year Manufacturer with 7 Year Prorated



Waterproof



Featherweight



Shock Resistant



Supercharged



CRANK Series

What is Crank Series?

Starter/cranking lithium batteries deliver exceptional performance and dependable power, ensuring smooth and reliable engine starts. Engineered with advanced high output LFP grade A+ cells, our premium-quality lithium batteries are specifically designed for starter/cranking applications and superior durability and extended battery life. Whether you're starting a small engine or a high-performance motor, our lithium batteries provide the confidence and peace of mind you need.

Phone: 1 (877) 330-4519

Email: Sales@lynac.com